

V7 SPECIAL - TECHNICAL SPECIFICATIONS	
Engine	Transversal 90° V-twin, two valves per cylinder.
Cooling	Air
Displacement	853 cc
Bore and stroke	84 x 77 mm
Maximum power	65 HP (47,8 kW) - 6.800 rpm (Also available at 35 kW, A2 driver license)
Maximum torque	73 Nm - 5.000 rpm
Compliance	Meets European Directive Euro 5.
Emissions	119 g/km (CO2)
Consumption	57.65 MPG
Gearbox	6 speed
Fuel Tank	21 I (4 reserve)
Seat Height	780 mm
Dry Weight	203 kg
Kerb Weight	223 kg (According to guideline VO (EU) 168/2013 with all fluids, with standard equipment and fuelled with at least 90% of usable tank volume).
Front suspension	Hydraulic telescopic fork Ø 40 mm.
Rear suspension	Swingarm Twin-sided with two spring preload adjustable shock absorbers.
Front wheel	Spoked, 18" 100/90
Rear Wheel	Spoked, 17" 150/70
Front brake	Stainless steel floating disc Ø 320 mm, Brembo caliper with 4 differentiated and opposed pistons
Rear brake	Stainless steel disc Ø 260 mm, floating 2 pistons caliper
Features	LED turn indicators and stop light, MGCT Moto Guzzi Traction Control, Standard double channel ABS