











# IRRESISTIBLY TRENDY SINCE 1946 78 YEARS YOUNG AND CHARMING

Since it first appeared in 1946, it has conquered the world with its disruptive and innovative charisma. Not just an agile and modern means of transport, it is a real attitude to life: independent, free-thinking, positive, sensitive to the environment, iconoclastic and a spokesperson for young people's vision of life and social change. Its fresh, informal elegance has allowed it to stand the test of time with undiminished appeal and ability to conquer different generations and cultures. With over 18 million sold, it is a lifestyle icon, a star of musical, social and media phenomena and irreverently dynamic.

























### VESPA PRIMAVERA



**ICONIC DESIGN** 

LIGHTWEIGHT AND EASY TO RIDE

HIGH PERFORMANCE WITH LOW EMISSIONS

It was a success from its début in 1968, a symbol of the revolutionary and non-conformist ferment of the time. Young, carefree, compact and versatile, it continues to delight the world with its spirit of irreverent modernity and its innate style. To keep its freshness intact, today, the Vespa Primavera receives a technological, dynamic, ecofriendly makeover. It opts for premium lines and details for an increasingly distinctive and contemporary design, carefully researching materials and combinations, and is enriched with top-class technological features.











### **PRIMAVERA**















### PRIMAVERA







**ELETTRICA 45** 







### PRIMAVERA S



50/125/150







### PRIMAVERA TECH











### PRIMAVERA TECH




















**ICONIC DESIGN** 

**RED WHEEL RIMS** 

(VESPA PRIMAVERA) RED emerged from the partnership with (RED), which the Piaggio Group has supported since 2017. Founded by Bono and Bobby Shriver in 2006, (RED) seeks to encourage companies to allocate a sustainable cash flow to the Global Fund for the fight against AIDS and Covid-19, as well as boosting public awareness and keeping a focus on the issue. The characteristic Rosso Red colour scheme, which elegantly clads the entire body, also colours the wheel rims and the ergonomic seat, made in soft Nabuk, making (VESPA PRIMAVERA) RED truly unique and recognisable at a glance.













50/125/150









ELETTRICA 45










ELETTRICA 70





# DISNEP MICKEY MOUSE





**©**Disney










#### DISNEY MICKEY MOUSE EDITION BY VESPA



YELLOW WHEEL INTERIOR

**BODY IN THREE COLOURS** 

**GRAPHIC PATTERN** MICKEY MOUSE

When a global icon of freedom and fun pays homage to another undisputed icon, it leads to an unrivalled concentration of energy, character and personality. To celebrate Disney's centenary, we created a special, limited edition dedicated to Mickey Mouse, Walt Disney's most famous and charismatic character. Disney Mickey Mouse Edition by Vespa is a special vehicle that embodies the affinities of two brands that feature prominently in the collective imagination: spontaneity, light-heartedness, independence and positivity, energy and colour.









#### DISNEY MICKEY MOUSE EDITION BY VESPA





50/125/150











# FAST BUTMAKE CLASSY




















### **VESPA SPRINT S**



#### WITH ITS BOLD AND **DEDICATED GRAPHICS**

**SPORTY SEAT** 

Pure energy and sporty character: The Vespa Sprint S is the modern heir to the 1960s sports Vespa. With a small and agile body, and stable and manoeuvrable structure, it incorporates the latest Piaggio technology. The innovative engine of the low-emission i-get (Italian Green Experience and Technology) family epitomises fast, easy, smooth and comfortable urban riding. The attention to design, refined details and finishes creates a unique and striking mix with its gritty attitude.











### SPRINT S











### SPRINT S












SPONTANEOUS \* SPICY












### **VESPA GTS**



ESSENTIAL AND SOPHISTICATED

BEST IN CLASS PERFORMANCE

**KEYLESS** 

**FULL LED LIGHTING** 

It answers the urge to travel and the passion for tourism, doing so in authentic Vespa style. This scooter combines the urban spirit of a big-bodied, comfortable, protective and high-tech vehicle with features designed for long journeys: quiet start, ABS-ASR system as standard for braking stability, easy handling and roomy under-seat compartment. Its identity stands out thanks to the restyled shield, steering cover and handlebars, the new mudguard crest and the full LED headlamps for increased active safety. The choice of i-get engines with electronic injection offers class-leading performance and environmental friendliness.











GTS



125/300











125/300









### **GTS SUPERSPORT**



























125/300








+ FREE

CONFIDENT

CLASSY + CONFIDENT












### **VESPA GTV**



SPORTY DESIGN

RACING TOP FAIRING

TWO-COLOUR SEAT

**BLACK WHEEL RIMS** 

Its touring vocation is a perfect harmony between classicism and sporting daring, Vespa tradition and contemporaneity. The ergonomic design is central, augmented by the comfort of the large body that allows total control over the vehicle and comfort even over long distances. It features the highest-performance engine ever fitted to a Vespa, the gutsy single-cylinder 300 hpe (High-Performance Engine). A racing-inspired top fairing, two-tone single-seat look saddle, and a host of sporty details define its style, along with full LED headlamps, and digital instrument cluster that enriches the riding experience with 2.0 functionality.





























### HELMETS

Discover our range on vespa.com



**DISNEY MICKEY MOUSE EDITION BY VESPA** 



**NAZIONI HELMET** 



**VERSILIA VERDE** 







### CUSTOMISE YOUR VESPA

Discover our range of original accessories to make your Vespa truly unique on vespa.com



	Vespa Primavera Vespa Primavera S (VESPA PRIMAVERA) <sup>RED</sup> Disney Mickey Mouse Edition by Vespa 50 i-get	Vespa Primavera Vespa Primavera S (VESPA PRIMAVERA) <sup>RED</sup> Disney Mickey Mouse Edition by Vespa 125 i-get (150 i-get)*	
Engine	Single cylinder 4-stroke, 3 valves, i-get	Single cylinder 4-stroke, 3 valves, i-get	
Engine capacity	49 α 124 α (155 α)		
Bore x stroke	39 mm x 41.4 mm	52 mm x 58.6 mm (58 mm x 58.6 mm)	
Max Power at the crank shaft	<u>-</u>		
Max Torque	<u>.                                      </u>		
Consumption	<u>.                                      </u>		
CO <sub>2</sub> emissions compliance	<u>.                                      </u>		
Fuel system	Electronic injection	Electronic injection	
Cooling	Forced air	Forced air	
Starter	Electric	Electric	
Gearbox	CVT continuously variable transmission with torque server	CVT continuously variable transmission with torque server	
Clutch	Automatic centrifugal dry clutch with vibration dampers	Automatic centrifugal dry clutch with vibration dampers	
Load-bearing structure	Sheet steel body with welded reinforcements	Sheet steel body with welded reinforcements	
Front suspension	Single-sided link arm with coil spring and hydraulic monoshock absorber	Single-sided link arm with coil spring and hydraulic monoshock absorber	
Rear suspension	Coil spring with hydraulic monoshock absorber	Coil spring with preload adjustable to 4 positions and hydraulic monoshock absorber	
Front brake	Ø 200 mm stainless steel disc with hydraulic control	Ø 200 mm stainless steel disc with hydraulic control	
Rear brake	Ø 140 mm drum mechanically operated	Ø 140 mm drum mechanically operated	
ABS system	·	Single channel ABS	
Front tyre	Tubeless 110/70 - 12"	Tubeless 110/70 - 12"	
Rear tyre	Tubeless 120/70 - 12"	Tubeless 120/70 - 12"	
Length / Width / Wheelbase	·		
Seat Height	785 mm	785 mm	
Fuel tank capacity	7.5 litres	8 litres	
Emissions compliance	Euro 5+	Euro 5+	

	Vespa Primavera Elettrica 45 (VESPA PRIMAVERA) <sup>RED</sup> Elettrica 45	Vespa Primavera Tech Elettrica 70 (VESPA PRIMAVERA) <sup>RED</sup> Elettrica 70	
Power unit	Piaggio Group	Piaggio Group	
Continuous power		3.6 kW	
Maximum power	3.1 kW	4 kW	
Max torque	200 Nm (peak)	200 Nm (peak)	
Battery voltage	48 V	48 V	
Battery capacity	48 Ah		
Battery energy	2.3 kWh	4.2 kWh	
Cell	LG Chem	LG Chem	
Recharge time	≈4h** (0-80%) Battery charger power 500 W	4 h** (minimum recharge time with 220 V)	
Battery life	1,000 cycles (residual capacity 80%)	1,000 cycles (residual capacity 80%)	
Maximum speed	45 km/h	<u>.</u>	
Battery weight	_15 kg	25 kg	
Energy recovery	Yes	Yes	
Load-bearing structure	Sheet steel body with welded reinforcements	Sheet steel body with welded reinforcements	
Front tyre	Tubeless 110/70 - 12"	Tubeless 110/70 - 12"	
Rear tyre	Tubeless 120/70 - 12"	Tubeless 120/70 - 12"	
Front brake	Ø 200 mm stainless steel disc with hydraulic control	Ø 200 mm stainless steel disc with hydraulic control	
Rear brake	Ø 140 mm drum mechanically operated	Ø 140 mm drum mechanically operated	
Braking system	<u>.                                    </u>	Combined Braking System (CBS)	
Wheelbase	1,330 mm		
Length	1,860 mm		
Width	735 mm	735 mm	
Saddle height	785 mm	785 mm	
Weight (with battery)	111 kg	130 kg	
Autonomy (WMCT)*	68 km	•	

	Vespa Sprint S 50 i-get	Vespa Sprint S 125 i-get (150 i-get)*	
Engine	Single cylinder 4-stroke, 3 valves, i-get	Single cylinder 4-stroke, 3 valves, i-get	
Engine capacity	49 cc	124 cc (155 cc)	
Bore x stroke	39 mm x 41.8 mm	52 mm x 58,6 mm (58 mm x 58.6 mm)	
Max Power at the crank shaft			
Max Torque	-	-	
Consumption	-	-	ļ
CO <sub>2</sub> emissions compliance	-	-	ļ
Fuel system	Electronic injection	Electronic injection	L
Cooling	Forced air	Forced air	
Starter	Electric	Electric	ļ
Gearbox	CVT continuously variable transmission with torque server	CVT continuously variable transmission with torque server	-
Clutch	Automatic centrifugal dry clutch with vibration dampers	Automatic centrifugal dry clutch with vibration dampers	-
Load-bearing structure	Sheet steel body with welded reinforcements	Sheet steel body with welded reinforcements	-
Front suspension	Single-sided link arm with coil spring and hydraulic monoshock absorber	Single-sided link arm with coil spring and hydraulic monoshock absorber	-
Rear suspension	Coil spring with hydraulic monoshock absorber	Coil spring with preload adjustable to 4 positions and hydraulic monoshock absorber	ŀ
Front brake	Ø 200 mm stainless steel disc with hydraulic control	Ø 200 mm stainless steel disc with hydraulic control	ľ
Rear brake	Ø 140 mm drum mechanically operated	Ø 140 mm drum mechanically operated	ľ
ABS system		Single channel ABS	Ī
Front tyre	Tubeless 110/70 - 12"	Tubeless 110/70 - 12"	
Rear tyre	Tubeless 120/70 - 12"	Tubeless 120/70 - 12"	
Length / Width / Wheelbase			
Seat Height	790 mm	790 mm	
Fuel tank capacity	7.5 litres	8 litres	
Emissions compliance	Euro 5+	Euro 5+	

	Vespa Sprint S Elettrica 45	
Power unit	Piaggio Group	
Continuous power	2.7 kW	
Maximum power	3.1 kW	
Max torque	200 Nm (peak)	
Battery voltage	48 V	
Battery capacity	48 Ah	
Battery energy	2.3 kWh	
Cell	LG Chem	
Recharge time	≈4h** (0-80%) Battery charger power 500 W	
Battery life	1,000 cycles (residual capacity 80%)	
Maximum speed	45 km/h	
Battery weight	15 kg	
Energy recovery	Yes	
Load-bearing structure	Sheet steel body with welded reinforcements	
Front tyre	110/70 - 12"	
Rear tyre	120/70 - 12"	
Front brake	Ø 200 mm stainless steel disc with hydraulic control	
Rear brake	Ø 140 mm drum mechanically operated	
Braking system	•	
Wheelbase	1,330 mm	
Length	1,860 mm	
Width	735 mm	
Saddle height	785 mm	
Weight (with battery)	111 kg	
Autonomy (WMCT)***	68 km	

	Vespa GTS Vespa GTS Super Vespa GTS SuperSport Vespa GTS SuperTech 300 hpe	Vespa GTS Vespa GTS Super Vespa GTS SuperSport Vespa GTS SuperTech 125 i-get	Vespa GTV 300 hpe
Engine	Single-cylinder, 4-stroke, 4 valves, electronic injection, hpe	Single-cylinder, 4-stroke, 4 valves, electronic injection, i-get	Single-cylinder, 4-stroke, 4 valves, electronic injection, hpe
Engine capacity	278 cc	125 α	278 α
Bore x stroke	75 mm x 63 mm	52 mm x 58.7 mm	75 mm x 63 mm
Max Power at the crank shaft	17.5 kW - 23.8 HP - at 8,250 rpm	10.3 kW - 14 HP - at 8,750 rpm	17.5 kW - 23.8 HP - at 8,250 rpm
Max Torque	26 Nm at 5,250 rpm	12 Nm at 6,750 rpm	26 Nm at 5,250 rpm
Consumption	30.3 km/l	38.5 km/l	30,3 km/l
CO <sub>2</sub> emissions compliance	75 g/km	60 g/km	75 g/km
Fuel system	Electronic injection	Electronic injection	Electronic injection
Cooling	Liquid	Liquid	Liquid
Starter	Electrical	Electric Start & Stop system	Electric
Gearbox	CVT with torque server	CVT with torque server	CVT with torque server
Clutch	Automatic dry centrifugal clutch with vibration dampers	Automatic dry centrifugal clutch with vibration dampers	Automatic dry centrifugal clutch with vibration dampers
Load-bearing structure	Sheet metal body with welded structural reinforcements	Sheet metal body with welded structural reinforcements	Sheet steel body with welded reinforcements
Front suspension	Single-sided swingarm with coil spring and hydraulic control	Single-sided swingarm with coil spring and hydraulic control	Single-arm with coil spring and single shock absorber
Rear suspension	Double hydraulic shock absorber with four-position spring pre-load adjustment	Double hydraulic shock absorber with four-position spring pre-load adjustment	Double hydraulic shock absorber with preload adjustable on 4 positions
Front brake	Hydraulically operated 220 mm stainless steel disc	Hydraulically operated 220 mm stainless steel disc	Stainless steel disc, Ø 220 mm with hydraulic control
Rear brake	Hydraulically operated 220 mm stainless steel disc	Hydraulically operated 220 mm stainless steel disc	Stainless steel disc, Ø 220 mm with hydraulic control
ABS system	As standard	As standard	As standard
Front tyre	Tubeless 120/70 - 12"	Tubeless 120/70 - 12"	Tubeless 120/70 - 12"
Rear tyre	Tubeless 130/70 - 12"	Tubeless 130/70 - 12"	Tubeless 130/70 - 12"
Length / Width / Wheelbase	1,980 / 765 / 1,380 mm	1,980 / 765 / 1,385 mm	1,975 / 775 / 1,375 mm
Seat Height	790 mm	790 mm	790 mm
Fuel tank capacity	8.5 litres	7 litres	8.5 litres (including 2 liters reserve)
Emissions compliance	Euro 5	Euro 5	Euro 5

### SERVICES



Thanks to the X-Care+ Maintenance services offered by the brand, you can drive your Vespa without a care in the world. When you select and purchase one of the packages available to meet various needs, you will be entitled to periodic scheduled maintenance in line with the specifications set out in the use and maintenance manual.

The services described can be activated on models with displacement greater than 50 cc.

Check the packages available for the various models with your preferred dealer.



The X-Care Extended Warranty completes the dedicated services on offer, protecting your peace of mind when it comes to your Vespa and allowing you to travel worry-free with a 1 or 2 year warranty which includes roadside assistance:

- Coverage of repair costs for faults due to manufacturing or assembly defects on parts
- Replacement of any damaged parts with original spare parts, labour included
- Roadside assistance that guarantees two service to the nearest Piaggio Service point.
- Specialised, certified Piaggio Group Service assistance
- Maintenance of the retail value of your used vehicle in case you decide to sell
- Coverage throughout Europe

The services described can be activated on models with displacement greater than 50 cc.

Ask your dealership or your authorised service centre for full details of the services and coverage available in your country.



With DreamRide, your dream of riding a Vespa is even easier to achieve. In fact, you can choose the most suitable financing solution for you, selecting it from a range of services conceived by the Piaggio Group to meet the numerous and changing financing needs.

The company reserves the right to make technical and aesthetic changes at any time. Full information on models and accessories is available at www.vespa.com. Ride carefully, always wearing a helmet and suitable gear. Always comply with the rules of the road and respect the environment. Read the operating and maintenance manual carefully. Always ask for original and approved spare parts in accordance with current legislation. Visit an Official Vespa Dealership or Authorised Retailer for a secure purchase and quaranteed service support.





A BETTER LIFE FOR THE CHILDREN OF THE WORLD